



Visit us at : www.msbchemical.com

Index



Sr.	Product Description	Page No.
1)	ABSOLUTE ALCOHOL AR/ACS 100%	4
2)	ETHANOL ABSOLUTE FOR ANALYSIS ISO, AR-ACS 99.9%	6
3)	ETHANOL 99.9-GC INHOUSE REFERENCE STANDARD	8
4)	ETHANOL ABSOLUTE GRADIENT GRADE FOR LC	10
5)	ETHANOL ABSOLUTE HPLC	12
6)	ABSOLUTE ALCOHOL 99.9% - MB	14
7)	LABNOL 99.9% LR	16
8)	ETHANOL ABSOLUTE-NMR	18
9)	ABSOLUTE ALCOHOL 99.9% EL	20
FOO	D GRADE	20
10)	ALCOHOL 96% (ODORLESS)	
11)	ABSOLUTE ALCOHOL 75% (FSSAI)	
12)	ABSOLUTE ALCOHOL 96% (FSSAI)	
13)	ABSOLUTE ALCOHOL >99.5% (FSSAI)	
РНА	RMACOPEIAL GRADE	21
14)	ALCOHOL USP	
15)	DEHYDRATED ALCOHOL >99.5% USP	
16)	ALCOHOL 96% US-DMF	
17)	DEHYDRATED ALCOHOL >99.5% US-DMF	
18)	ALCOHOL 96% PH.EUR.	
19)	ABSOLUTE ALCOHOL >99.5% IP	
PER	FUME GRADE	22
20)	ETHANOL 96% PERFUME GRADE	
21)	ETHANOL 99% PERFUME GRADE	

NOTE

- 1) POR (PRICE ON REQUEST)
- 2) (*) CUSTOMIZE PACK SIZE IS AVAILABLE.
- 3) GST@18% (EXTRA)
- 4) FREIGHT APPLICABLE

We can make anything in Ethanol as per customer requirement



Introduction

India's first fully indigenous Analytical & Pharmacopeial Grade Ethanol Manufacturing plant

We are manufacturing highly pure **Ethanol** adhering to the stringent quality standards.

Facility is approved by FDA-Maharashtra & FSSAI

Our laboratory is fully equipped to fulfill the requirement of quality and analytical testing

Ethanol is one of the largest volume organic solvent used in industrial as well as consumer products.

The primary industrial uses of this aliphatic alcohol are intermediate in the production of other chemicals and as a solvent





MSB Brand Products

Packing







200 Ltr

MSB

2.5 Ltr

5 Ltr

1 Ltr

Packing from

500 ml/1.0 liters/ 2.5 liters / 4 liters
5 liters / 35 liters /
25 liters / 50 liters / 200 liters /
1000 liters IBC Tanks and
25000 liters ISO tanks.

Page-3









Visit us at : www.msbchemical.com

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant

High Premium Grade Anhydrous Ethanol

100% Absolute Alcohol

We are manufacturing High Premium Grade anhydrous Ethanol adhering the stringent quality standards.

High Premium Grade anhydrous Ethanol widely used in critial analytical application quantitative analysis and organic synthesis

Features

- International standard method are used for analysis of high premium grade anhydrous **Ethanol**
- We offer customised packing 500ml, 1 Ltr, 2.5Ltr, 5Ltr, 25Ltr, 200Ltr. & ISO Tank
- Manufactured in our state of art facility &
- Packed under controlled environment

Code	Item Description	Pack Size	Packing	HSN	Price
5268-19	High Premium Grade	500 ml	HDPE	22071012	2800
	Anhydrous Ethanol 100% Absolute Alcohol	1 Ltr	HDPE		3900
		2.5 Ltr	HDPE		10500
		5 Ltr	HDPE		15600
		25 Ltr	HDPE		POR
		200 Ltr	HDPE		POR







HIGH PREMIUM GRADE ANHYDROUS ETHANOL 100 %

Absolute Alcohol (AR-ACS Grade)

Certificate No.	19022024 005 5268-19	Lab ID.	19022024 005 15022024
Batch No.	NAR402005	Date Of Analysis.	15 02 2024
Product Code.	5268-19	Specification No.	SP-5268-19
Mfg Date.	02 2024	Exp Date.	01 2029



	·	•	<u>'</u>
<u> </u>			
Sr. No	Test	Standard	Results
1	Appearance	Clear, colorless, mobile, volatile liquid	Clear, colorless, mobile, volatile liquid
2	Color of solution	≤ 10 Hazen	≤ 10 Hazen
3	Identity (IR)	The infrared absorption spectrum of sample exhibit maxima, which are only at the same wavelength as in the spectrum of Alcohol.	Concordant with reference spectra
4	Solubility	Miscible with water and with practically all-organic solvents.	Miscible with water and with practically all-organic solvents
5	Density (d 20 °C/20 °C)	0.790 - 0.793	0.791
6	Acidity or alkalinity	NMT 30 ppm	≤ 20 ppm
7	Titrable acid	≤ 0.0002 meq/g	≤ 0.0002 meq/g
8	Titrable base	≤ 0.0002 meq/g	≤ 0.0002 meq/g
9	Ultraviolet absorption in a 5 cm cell.	Absorbance: NMT 0.40 at 240 nm. NMT 0.30 between 250 & 260 nm. NMT 0.10 between 270 & 340 nm.	0.267 at 240 nm 0.102 between 250 & 260 nm 0.014 between 270 & 340 nm
10	Aldehydes (as Acetaldehyde)	NMT 10 ppm	1.6 ppm
11	Fusel oils	No red or brown colour is produced	No red or brown colour is produced
12	Substances reducing potassium permanganate (as O)	≤ 0.0002 %	≤ 0.0002 %
13	Substances reducing permanganate	passes test	Conforms
14	Carbonyl compounds (as CO)	NMT 30 ppm	05 ppm
15	Readily carbonizable substances	passes test	Conforms
16	Acetone, Isopropyl Alcohol	passes test	No pick color produced
17	Acetone	NMT 10 ppm	0.5 ppm
18	Ethylmethylketone	NMT 200 ppm	1.4 ppm
19	Isoamyl alcohol	NMT 500 ppm	1.0 ppm
20	2-Propanol	NMT 100 ppm	0.8 ppm
21	Higher alcohols	NMT 100 ppm	1.5 ppm
22	Volatile impurities (GC) (Acetaldehyde and Acetal)	NMT 10 ppm	1.8 ppm
23	Benzene	NMT 2 ppm	Not detected
24	Methanol	NMT 100 ppm	1.1 ppm
25	Volatile impurities (GC) (Total of other impurities)	NMT 300 ppm	9.7 ppm
26	Purity (By GC)	≥ 99.9 %	99.97 %
27	Chloride (CI)	≤ 0.3 ppm	≤ 0.3 ppm
28	Nitrate (NO ₃)	≤ 0.3 ppm	≤ 0.3 ppm
29	Phosphate (PO)	≤ 0.3 ppm	≤ 0.3 ppm
30	Sulfate (SO)	≤ 0.3 ppm	≤ 0.3 ppm
31	Evaporation residue	NMT 5 ppm	3.6 ppm
32	Water (by KF)	NMT 0.1%	0.07%

Elemental Impurity specification have been set up considering ICHQ3D. (Guidelines for elemental impurity)

Class 1-3 elements are not likely to be present above the ICH Q3D option 1 limit. Unless specified and indicated.

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant

Ethanol Absolute For Analysis ISO, AR-ACS 99.9%

ISO grade solvents are suitable for a broad spectrum of classical lab applications, and are frequently used in regulated and highly demanding lab applications.

ISO grade provides worldwide best and most extensive product specifications. We declare our ISO grade to be in compliance with the ACS, with the reagent part of the All Pharmacopoeia and also with the ISO standards.

Features

Our ethanol is an obvious choice for a sustainable future because of its high quality, afford ability, and ready availability.

- It is produced from grain or sugar cane, a renewable source
- Less toxic than synthetic ethanol (no toxic by-products)
- Reliable availability
- Production method is safer for the environment

Code	Item Description	Pack Size	Packing	HSN	Price
5268-90	ETHANOL ABSOLUTE	500 ml	HDPE	22071012	3800
	FOR ANALYSIS ISO, AR-ACS 99.9%	1 Ltr	HDPE		4900
		2.5 Ltr	HDPE		11500
		5 Ltr	HDPE		16600
		25 Ltr	HDPE		POR
		200 Ltr	HDPE		POR







NOTE: 1) POR - (PRICE ON REQUEST)

- 2) (*) CUSTOMIZE PACK SIZE IS AVAILABLE.
- 3) GST@18% (EXTRA)

HIGH PREMIUM GRADE ANHYDROUS ETHANOL 100 %

CERTIFICATE OF ANALYSIS

Ethanol absolute for analysis ISO, AR-ACS 99.9 %

	Certificate No.	29072024 001	5268-90	La	ab ID.	29072	2024 001 29072024
	Batch No.	NEISO407001		Date Of Analysis.		29 07 2024	
	Product Code.	5268-90		Specification No.		SP-52	'
	Mfg Date.	07 2024		E	xp date	06 20	29
Sr. No	Test	Standard	Results	33	Water (by KF)	NMT 0.1%	0.070 %
1	Appearance	Clear, colorless, mobile, volatile liquid	Clear, colorless, mobile, volatile liquid	34	Aluminium (Al)	≤ 0.5 ppm	≤ 0.5
2	Color of solution	≤ 10 Hazen	≤ 10 Hazen	35	Barium (Ba)	≤ 0.1 ppm	≤ 0.1 ppm
3	Identity (IR)	The infrared absorption spectrum of sample exhibit maxima, which are only at the same wavelength as in the	Concordant with reference spectra	36	Calcium (Ca)	≤ 0.5 ppm	≤ 0.5 ppm
4	Solubility	spectrum of Alcohol. Miscible with water and with	Miscible with water and with	37	Cadmium (Cd)	≤ 0.05 ppm	≤ 0.05 ppm
	•	practically all-organic solvents.	practically all-organic solvents	38	Cobalt (Co)	≤ 0.02 ppm	≤ 0.02 ppm
5	Density (d 20 °C/20 °C)	0.790 - 0.793	0.7914	39	• • •		.,
6	Acidity or alkalinity	NMT 30 ppm	≤ 25 ppm		Chromium (Cr)	≤ 0.02 ppm	≤ 0.02 ppm
7	Titrable acid	≤ 0.0002 meq/g	≤ 0.0002 meq/g	40	Copper (Cu)	≤ 0.02 ppm	≤ 0.02 ppm
8	Titrable base	≤ 0.0002 meq/g	≤ 0.0002 meq/g	41	Iron (Fe)	≤ 0.1 ppm	≤ 0.1 ppm
9	Ultra-violet absorption in a 5 cm cell.	Absorbance: NMT 0.40 at 240 nm. NMT 0.30 between 250 & 260 nm. NMT 0.10 between 270 & 340 nm.	0.279 at 240 nm 0.108 between 250 & 260 nm 0.017 between 270 & 340 nm	42	Magnesium (Mg)	≤ 0.1 ppm	≤ 0.1 ppm
10	Aldehydes (as Acetaldehyde)	MNT 10 ppm	5.8 ppm	43	Manganese (Mn)	≤ 0.02 ppm	≤ 0.02 ppm
11	Fusel oils	No red or brown colour is produced	No red or brown colour is produced	44	Nickel (Ni)	≤ 0.02 ppm	≤ 0.02 ppm
12	Substances reducing potassium permanganate (as O)	≤ 0.0002 %	≤ 0.0002 %	45	Lead (Pb)	≤ 0.1 ppm	≤ 0.1 ppm
13	Substances reducing permanganate	passes test	Conforms	46	Tin (Sn)	≤ 0.1 ppm	≤ 0.1 ppm
14	Carbonyl compounds (as CO)	NMT 30 ppm	07 ppm	47	Silver	≤ 0.02 ppm	≤ 0.02 ppm
15	Readily carbonizable substances	passes test	Conforms	48	Arsenic (As)	≤ 0.02 ppm	≤ 0.02 ppm
16	Acetone, Isopropyl Alcohol	passes test	No pink color produced	49	Gold (Au)	≤ 0.02 ppm	≤ 0.02 ppm
17	Acetone	NMT 10 ppm	0.4 ppm	50	Beryllium (Be)	≤ 0.02 ppm	≤ 0.02 ppm
18	Ethylmethylketone	NMT 200 ppm	1.9 ppm				.,
19	Isoamyl alcohol	NMT 500 ppm	1.4 ppm	51	Bismuth (Bi)	≤ 0.02 ppm	≤ 0.02 ppm
20	2-Propanol	NMT 100 ppm	0.9 ppm	52	Gallium (Ga)	≤ 0.02 ppm	≤ 0.02 ppm
21	Higher alcohols	NMT 100 ppm	2.1ppm	53	Indium (In)	≤ 0.02 ppm	≤ 0.02 ppm
	Volatile impurities (GC) (Acetaldehyde and Acetal)	NMT 10 ppm	7.2 ppm	54	Lithium (Li)	≤ 0.02 ppm	≤ 0.02 ppm
23	Benzene	NMT 2 ppm	Not detected	55	Molybdenum (Mo)	≤ 0.02 ppm	≤ 0.02 ppm
24	Methanol	NMT 100 ppm	1.8 ppm	56	Platinum (Pt)	≤ 0.02 ppm	≤ 0.02 ppm
25	Volatile impurities (GC) (Total of other impurities)	NMT 300 ppm	8.9 ppm	57			
26	Volatile impurities (GC) disregard limit)	≤ 9 ppm	7 ppm		Antimony (Sb)	≤ 0.02 ppm	≤ 0.02 ppm
27	Purity (By GC)	≥ 99.9 %	99.99 %	58	Thallium (TI)	≤ 0.02 ppm	≤ 0.02 ppm
28	Chloride (CI)	≤ 0.3 ppm	≤ 0.3 ppm	59	Titanium (Ti)	≤ 0.02 ppm	≤ 0.02 ppm
30	Nitrate (NO₃) Phosphate (PO₄)	≤ 0.3 ppm ≤ 0.3 ppm	≤ 0.3 ppm ≤ 0.3 ppm	60	Vanadium (V)	≤ 0.02 ppm	≤ 0.02 ppm
31	Sulfate (SO ₄)	≤ 0.3 ppm	≤ 0.3 ppm	61	Zinc (Zn)	≤ 0.1 ppm	≤ 0.1 ppm
32	Evaporation residue	NMT 5 ppm	3.6 ppm	62	Zirconium (Zr)	≤ 0.02 ppm	≤ 0.02 ppm

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof. This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.


(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified FDA, GMP & FSSAI Approved Plant


Ethanol GC In House Reference Standard

Features

- Reliable, accurate analytical results
- Comprehensive application area
- Ethanol are developed specially for this highly sophisticated application areas.
- **Unmatched batch-to-batch consistency**
- Lower analytical costs
- No repeat analyses
- Suitable for pharmacopoeia analysis
- our ethanol are made from high-quality raw materials in our state-of-the-art production facilities



Code	Item Description	Pack Size	Packing	HSN	Price
5268-72	ETHANOL GC-IN-HOUSE	500 m	GLASS	22071012	4300
	REFERENCE STANDARD		BOTTLE		







ETHANOL GC IN-HOUSE REFERENCE STANDARD

Certificate No.	25052024 001 5268-72	Lab ID.	25052024 001 03062024
Batch No.	NGS405001	Date Of Analysis.	03 06 2024
Product Code.	5268-72	Specification No.	SP-5268-72
Mfg Date.	05 2024	Exp Date	04 2026

Sr. No	Test	Standard	Results
1	Description	Clear, colorless, mobile, volatile liquid	Clear, colorless, mobile, volatile liquid
2	Identification a. GC MS b. IR Spectra	Should Confirm the structure The IR absorption of the sample, concordant with the spectrum obtained from the Standard of Ethanol	Complies Complies
3	Water (by KF)	NMT 0.1%	0.09 %
4	Refractive Index (at 20 °C)	1.358 to 1.361	1.360
5	Evaporation residue	NMT 10 ppm	3.8 ppm
6	Specific Gravity (at 20 °C)	0.789 - 0.791	0.7895
7	GC/FID Purity	NLT 99.0 %	99.91 %
8	Assay (By GC)	NLT 99.0 %	99.91 %

GC Condition:

Column: DB-624 (30 m X 0.53 mm X 3 µm film thickness)

Injector Temperature: 140 °C.

Detector temperature: 250 °C.

Linear Velocity: 35 cm/sec.

Oven temperature: Initial 40 °C, Hold for 20 minutes, ramp 10 °C/min, up to 240 °C for 20 minutes.

Injection volume: 1.0 µl

Sample: as such to be injected

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified FDA, GMP & FSSAI Approved Plant

Ethanol Absolute Gradient Grade for LC

- With their high degree of UV Transmittance, low particle count, low acidity and alkalinity and low evaporation residue level, gradient solvents are ideal for reproducible separations
- They are produced from specially selected raw materials, and undergo a number of purification steps prior to final packaging.
- This enables you to minimize the gradient effect of the solvent involved



Reliability: High accuracy

Precision: High batch to batch consistency

High UV transmission

Low residue on evaporation

Excellent batch-to-batch reproducibility

Low absorbance values

Microfiltration through 0.2 µm filter.

Code	Item Description	Pac Size		Packing	HSN	Price
5268-77	5268-77 ETHANOL ABSOLUTE GRADIENT GRADE FOR LC		ml	GLASS	22071012	4900
				BOTTLE		











Ethanol Absolute Gradient Grade for LC

Certificate No.	ficate No. 31082024 001 5268-33		Lab ID.	31082024 001 31082024
Batch No.	NGG408001		Date Of Analysis.	30 08 2024
Product Code.	5268-77		Specification No.	SP-5268-77
Mfg Date.	08 2024		Exp Date.	07 2026
Test pa	rameter	Unit	Specification	Result
Purity (GC Area)	%	99.90	99.99
Identi	ity (IR)		Conforms	Conforms
Residue (E	vaporation)	%	≤ 0.0002	≤ 0.0002
Water (H₂O) by KF		%	≤ 0.10	0.08
Aci	dity	meq/g	≤ 0.0002	≤ 0.0002
Alka	linity	meq/g	≤ 0.0002	≤ 0.0002
Gradient grad	de (at 235 nm)	mAU	≤ 5	≤ 5
Gradient grad	de (at 254 nm)	mAU	≤ 2	≤ 2
Transmission @ 210 nm		%	≥ 20	37.3
Transmissi	on @ 225 nm	%	≥ 50	68.3
Transmission @ 240 nm		%	≥ 80	89.3

≥ 98

98.9

Filtered by 0.2 µm filter

Transmission @ 260 nm

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified FDA, GMP & FSSAI Approved Plant

Ethanol Absolute HPLC Grade

- We are pleased to introduces the launch of new LC/GC range of High Purity Solvents as a part of MSB Chemical Limited (House of Ethanol) Product portfolio to provide complete work flow solution for HPLC,GC & LCMS analysis
- We are major manufacturer of high purity ethanol in india, having a specialty in ethanol purification, We are working hard toward achieving 'High Quality, High Cusomer satisfaction' by enforcing strict quality management and new product development.
- HPLC & LCMS Solvents are designed to provide rapid, reproducible performance and separation in research and quality control applications, Solvents are manufactured using multi step purification processes that produce reliable, low backgrounds noise. Products are controlled for UV transparency for optimum sensitivity.

Code	Item Description	Pa Siz		Packing	HSN	Price
5268-33	ETHANOL ABSOLUTE	500	ml	GLASS	22071012	4100
	ALCOHOL HPLC ABSOLUTE ALCOHOL	2.5	Ltr	BOTTLE		POR





Ethanol Absolute HPLC

CAS No. 64-17-5, C₂H₅OH, M.W 46.07 g/mol.

Certificate No.	06112023 001 5268-33	Lab ID.	06112023 001 06112023
Batch No.	NLC 311001	Date Of Analysis.	06 11 2023
Product Code.	5268-33	Specification No.	SP-5268-33
Mfg Date.	11 2023	Exp Date.	10 2025

Test parameter	Unit	Specification	Result
Appearance		Colorless & clear liquid	Colorless & clear liquid
Density @ 25 °C	g/ml	0.790 - 0.796	0.792
Identification		Conforms	Conforms
Miscible with water		Conforms	Complies.
Water (H ₂ O) by KF	%	0.10	0.07
TITRATABLE ACID (AS CH3COOH)	%	0.001	< 0.001
RESIDUE (EVAPORATION)	%	0.001	< 0.001
UV-TRANSMITTANCE			A
AT 210NM	%	≥ 20	34.5
AT 225NM	%	≥ 50	67.4
AT 240NM	%	≥ 80	88.0
AT 260NM	%	≥ 98	98.2
PURITY (GC AREA)	%	99.90	99.99

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant

Ethanol Absolute Molecular Biology Grade



Features


- Ultrapure molecular biology grade ethanol used for the purification and precipitation of bio molecules such as nucleic acids and proteins
- Used in histology to prepare staining and de staining reagents and for dehydrating tissues prior to embedding.
- Molecular Biology Grade Ethanol is tested for DNase, RNase, and Protease to ensure absence of these enzymes

Applications

- Purification and precipitation of nucleic acids 1. (DNA and RNA) and proteins
- 2. Preparation of staining and de staining solutions
- Dehydration of cells and tissues prior to paraffin\ 3. waxembedding
- **Extraction medium** 4.
- **Chromatographic reagent** 5.

Code	Item Description	Pack Size		Packing	HSN	Price
5268-33	ETHANOL MOLECULAR	500	ml	HDPE	22071012	4100
	BIOLOGY (Absolute Alcohol)		Ltr	HDPE		POR

Page-14





Ethanol Absolute molecular biology grade

		I			
Certi	ficate No.	29052024 001 52	68-42	Lab ID.	29052024 001 29052024
Batcl	h No.	NMB405001		Date Of Analysis.	29 05 2024
Prod	uct Code.	5268-42		Specification No.	SP-5268-42
Mfg	Date.	05 2024		Exp Date.	04/2027
Sr. No.	Tes	t parameter	unit	Specification	Result
1	А	ppearance	113	Colorless & clear liquid	Colorless & clear liquid
2	Minimum Assay % v/v		99.8	99.97	
3	Der	nsity @ 25 °C	g/ml	<mark>0.</mark> 790 - 0.796	0.793
4	Ide	entification		Conforms	Conforms
5	Misci	ble with <mark>w</mark> ater		Miscible	Miscible
6	Wate	er (H2O) by KF	%	0.1	0.07
7	7 DNases/RNases/Proteases			Should be not detectable	Not detectable
8		ty or alkalinity : CH3COOH)	%	(Max) 0.0002	Complies
9	Non-\	/olatile matter	%	(Max) 0.001	<0.001

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant

LABNOL 99.9%

- Labnol contains NLT 99.9% Ethanol by GC & Water (KF): 0.1%
- Labnol Widely used in Laboratories for basic Analytical applications, Qualitative analysis & Organic synthesis

Features

- ACS methods are used for analysis of Labnol for Consistent & Accurate results.
- Labnol is manufactured in our state of art facility & packed under controlled environment
- 500ml pack size available at competitive price.

Code	Item Description	Pack Size		Packing	HSN	Price
5268-39	LABNOL 99.9%	500	ml	HDPE	22071012	990
	(Premium Quality Absolute Ethanol For Analysis)	1	Ltr	HDPE		1750
		5	Ltr	HDPE		8500
		25	Ltr	HDPE		POR
		200	Ltr	HDPE		POR





MSB CHEMICAL LIMITED

CIN No.: U2429MH2019PLC332219

CERTIFICATE OF ANALYSIS

LABNOL 99.9%

Certificate No.	17112023 001 5268-39	Lab ID.	17112023 001 17112023
Batch No.	NLR311001	Date Of Analysis.	17 11 2023
Product Code.	5268-39	Specification No.	SP-5268-39
Mfg Date.	11 2023		

Sr. No	Test	Standard	Results
1	Appearance	Clear, colorless, mobile, volatile liquid	Clear, colorless, mobile, volatile liquid
2	Assay (By GC)	≥ 99.9 %	99.92 %
Maximur	m Impurity (%)		
3	Non-volatile matter	0.001	≤ 0.001
4	Acidity (as H +), mmol/100 g	0.04	≤ 0.04
5	Alkalinity (as OH '), mmol/100 g	0.01	≤ 0.01
6	Miscible with water	Pass	Pass
7	Methanol (CH₃OH)	0.05	≤ 0.05
8	lso propyl alcohol (as CH₃CH(OH)CH₃)	0.01	≤ 0.01
9	Fuse Oil	Pass	Pass
10	Permanganate reducing substances	Pass	Pass
11	Substances darkened by H ₂ SO ₄	Pass	Pass
12	Water (KF)	0.1	≤ 0.1

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant





SR NO	PRODUCT NAME	GRADE	PRODUCT CODE	HSN CODE	PACK SIZE	PACKING	MRP
		NMR			500 ML	GLASS BOTTLE	Rs.5675.00
1	ETHANOL ABSOLUTE		5268-49	22071012	4 Ltr	GLASS BOTTLE	POR
2	ABSOLUTE ALCOHOL 99.9%				500 ML	HDPE	Rs.2900.00
		EL	5268-53	22071012	2.5 LTR	HDPE	Rs.12800.00

Application

Ethanol has been used as Solvent in NMR analysis.

NMR grade high purity ethanol is tested in-house on a lot-by-lot basis and meets or exceeds the stringent requirements of diverse industries. Our ethanol is produced, processed, and tested under GMP guidelines, ensuring exceptional quality, purity, and consistency





NOTE: 1) POR - (PRICE ON REQUEST)

- 2) (*) CUSTOMIZE PACK SIZE IS AVAILABLE.
- 3) GST@18% (EXTRA)
- 4) FREIGHT APPLICABLE



ETHANOL ABSOLUTE (NMR GRADE)

Certif	Certificate No. 11092024 001 5268-49			Lab ID.	11092024 001 11092024		
Batch	n No.	NMR409001		Date Of Analysis.	11 09 2024		
Produ	uct Code.	5268-49		Specification No.	SP-5268-49		
Mfg D	Date.	09 2024	Exp Date		08 2026		
Sr. No		Test		Standard	Results		
1	Description	on	Sample should be clear & Colorless liquid, free from extraneous mater		Clear, colorless, mobile, volatile liquid		
2	Identifica	tion		re RT of sample with ctive RT of standard	Conforms		
			NLT 99 %		99.99 %		
3	Purity	Purity		or impurity should not be nore than 0.1 % (Area %)	Conforms		
3	Water Co	ntent (by KF)	NMT 0.1% w/v		NMT 0.1% w/v		0.095 % w/v
4	Residue	Analysis	NMT 2.0 mg /Liter		1.5 mg/ Liter		

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof.

This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant





Food grade ethanol is used as an extraction solvent and carrier system for flavor and bioactive compounds, as an antimicrobial agent, as a flavor enhancer, and as a solvent for research purposes.

Food grade ethanol, organic sugarcane ethanol, and organic corn ethanol has numerous applications throughout the food and beverage industries.

HALAL CERTIFICATE

KOSHER CERTIFICATE

Packing available in 500 ml to ISO Tank

	FOOD GRADE								
SR NO	PRODUCT NAME	PRODUCT CODE	HSN CODE	PACKING	MRP				
1	ABSOLUTE ALCOHOL 75% (FSSAI)	5268-67-75	22071012	HDPE	POR				
2	ABSOLUTE ALCOHOL 96% (FSSAI)	5268-67-96	22071012	HDPE	POR				
3	ABSOLUTE ALCOHOL >99.5% (FSSAI)	5268-67	22071012	HDPE	POR				



ISO 9001-2015 Certified FDA, GMP & FSSAI Approved Plant







Packing available in 500 ml to ISO Tank

	PHARMACOPEIAL GRADE									
SR NO	PRODUCT NAME	PRODUCT CODE	HSN CODE	PACKING	MRP					
1	ALCOHOL 96% USP	5268-327	22071012	HDPE	POR					
2	DEHYDRATED ALCOHOL >99.5% USP	5268-327-DA	22071012	HDPE	POR					
3	ALCOHOL 96% US-DMF	5268-446-EA	22071012	HDPE	POR					
4	DEHYDRATED ALCOHOL >99.5% US-DMF	5268-446-DA	22071012	HDPE	POR					
5	ALCOHOL 96% Ph. Eur	5268-57	22071012	HDPE	POR					
6	ABSOLUTE ALCOHOL >99.5% IP	5268-97	22071012	HDPE	POR					





- NOTE: 1) POR (PRICE ON REQUEST)
 2) (*) CUSTOMIZE PACK SIZE IS AVAILABLE.
 3) GST@18% (EXTRA)
 4) FREIGHT APPLICABLE

ISO 9001-2015 Certified FDA, GMP & FSSAI Approved Plant

Ethanol 99% & 96%

Premium quality solvent available with supporting documentation, and secure provenance, from both synthetic and fermentation source. Tested by our in-house laboratory to ensure conformance to the major global pharmacopeia – USP, BP/EP, JP. Absolute alcohol is preferred for applications where moisture control is important.

Pure ethyl alcohol is the best alcohol for perfume making, hands down. Safe for skin and body, natural sustainable organic recipe, simply the best.

Code	Item Description	Pack Size		Packing	HSN	Price
5268-AL96	Ethanol 96% Perfume	500	ml	HDPE	22071012	POR
	Grade		Ltr	HDPE		POR
5268-AL99	Ethanol 99% Perfume	500	ml	HDPE	22071012	POR
	Grade		Ltr	HDPE		POR











- 2) (*) CUSTOMIZE PACK SIZE IS AVAILABLE.
- 4) FREIGHT APPLICABLE

ISO 9001-2015 Certified

FDA, GMP & FSSAI Approved Plant





ETHANOL 96% Perfume Grade (COA)

Certificate	No. 04092024 001 5	268-AL96	Lab ID.	040924 001 04092024	
Batch No.	NEAL409001		Date Of Analysis.	04 09 2024	
Product C	ode. 5268-AL96		Specification No.	SP-5268-AL96	
Mfg Date.	Mfg Date. 09 2024		Exp. Date	08 2027	
Sr. No	Test		Standard	Results	
1	Appearance		It should be Water White	Water White	
2	Solubility		scible with water and with practically all- organic solvents.	Conforms	
3	Odour		Sweet Odour like Grain alcohol	Conforms	
4	Alcoholic Strength		Min 96% (v/v)	96.14 % (v/v)	
5	Density @ 20°C		0.7900 to 0.8022 g / cc	0.7998 g / cc	
6	Acetyldehyde		Max 10 ppm	0.5 ppm	
7	Ethyl Acetate		Max 1 ppm	ND	
8	Acetone		Max 1 ppm	ND	
9	Methanol		Max 5 ppm	0. 5 ppm	
10	Higher Alcohols		Max 15 ppm	ND	
	Iso Butanol		Max 2 ppm	ND	
	Iso Amyl Alcohol		Max 2 ppm	ND	
	1-Butanol		Max 2 ppm	ND	
	Iso Amyl Acetate		Max 2 ppm	ND	
	n-Propanol		Max 2 ppm	ND	
	Furfural		Max 1 ppm	ND	
11	2 Propanol		Max 2 ppm	0.4 ppm	
12	2,3 Pentanedion	e	Max 2 ppm	ND	
13	n-Butanol Acetat	е	Max 2 ppm	ND	
14	Methyl Acetate		Max 2 ppm	ND	

Note: ND - Non-Detectible

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof. This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

ISO 9001-2015 Certified



ETHANOL 99 % Perfume Grade (COA)

Certificate No.		0410202424 002 5268-AL99		Lab ID.	04102024 002 04102024	
Batch No.		NEAL410002		Date Of Analysis.	04 10 2024	
Product Code.		5268-AL99		Specification No.	SP-5268-AL99	
		10 2024		Exp. Date	09 2027	
				-		
Sr. No	Test		Standard		Results	
1	Appearance		It should be Water White		Water White	
2	Solubility		Miscible with water and with practically all- organic solvents.		- Conforms	
3	Odour		Sweet Odour like alcohol		Conforms	
4	Alcoholic Strength			NLT 99 %	99.99 %	
5		Density @ 25°C	0.7800 to 0.7900 g / cc		0.7835 g/cc	
6		Acetaldehyde	Max 10 ppm		0.7 ppm	
7		Ethyl Acetate	Max 1 ppm		ND	
8	Acetone			Max 1 ppm	ND	
9		Methanol		Max 5 ppm	0. 3 ppm	
10		Higher Alcohols	Max 15 ppm		ND	
		Iso Butanol	Iso Butanol Max 2 ppm		ND	
		Iso Amyl Alcohol	Alcohol Max 2 ppm		ND	
		1-Butanol	Max 2 ppm		ND	
		Iso Amyl Acetate	Max 2 ppm		ND	
		n-Propanol		Max 2 ppm	ND	
		Furfural		Max 1 ppm	ND	
11		2 Propanol	Max 2 ppm		0.5 ppm	
12		2,3 Pentanedione		Max 2 ppm	ND	
13		n-Butanol Acetate		Max 2 ppm	ND	
14		Methyl Acetate		Max 2 ppm	ND	

Note: ND - Non-Detectible

Result: The material complies with the above standard specification.

The above data do not relieve the user from analyzing the product upon receipt. Any legally binding assurance regarding the suitability of the product for any particular purpose or use cannot be derived thereof. This certificate shall not be reproduced except in full, without written consent of the MSB Chemical Limited.

(This is a computer printed report, valid without signature)

FDA CERTIFICATE

Food & Drugs Administration (Maharashtra State)

Letter No:MH/NG1/PRP/1110167
Food & Drugs AdministratiorNAGPUR Division
Office of the Joint Commission

Additional Product Permission

Civil Lines NAGPUR - 44000

707010 MSB CHEMICAL LIMITED SURVEY NO. 679, VILLAGE BELA, TALUKA UMRED, NAGPUR, SURVEY NO. 679, BELA -441108 Taluka: Umred District:NAGPUR ZONE 1

PERMISSION No : 111016: Dt : 07/08/202

Ref :-Your Inward Applicationvide Inward ID :- 238146Dated :- 31/07/2023

With reference to your Inward application,we have to inform you that your said application is considered following **PRODUCTS PERMISSION** have been granted, under the following **PERMISSION** have been granted and the follow

Form LIC No / Validity First Issue / Rnw

· · · · · · · · · · · · · · · · · · ·	The state of the s	12/07/2028 13/07/2023
Prod	Name of Drugs	
1.	ALCOHOL USP	DomestiqUSP
886676	CONTAINS:	 ETHANOL NLT 94.9 % to NMT 96.0 % USP (% % V/V)
2.	DEHYDRATED ALCOHOL USP	Domesti¢USP
886675	CONTAINS:	- ETHANOL NLT 99.5 % USP (% % V/V)
3.	ETHANOL 95% IP	DomestiqIP)
886672	CONTAINS:	- ETHANOL NLT 94.0% to NMT 96.0% IP (% % V/V)
4.	ETHANOL 96% BP	DomestiqBP:
886674	CONTAINS:	- ETHANOL NLT 95.1 % to NMT 96.9 % BP (% % V/V)
5.	ETHANOL JP	DomestiqJP ₁
886673	CONTAINS:	- ETHANOL NLT 95.1 % to NMT 96.9% JP (% % V/V)
6.	ETHANOL 96% EP/Ph.Eur	DomestiqEP)
886671	CONTAINS:	- ETHANOL NLT 95.1 % to NMT 96.9 % EP (% % V/V)

- Terms and Conditions
 should comply with all the provisions of Drugs & Cosmetics Act, 1940 & Rules 1945 as should comply with all the provisions of Drugs (Price Control) Order 2013 as amended 2) Licensee should comply with all the provisions of Drugs (Price Control) Order 2013 as amended up to dt (whe applicable).

 3) Licensee should abide by all the provisions of Drugs & Magic Remedies (Objectionable Advertisement) Act, 1! Rules 1955 as amended up to date
 4) Licensee should not manufacture any drug/cosmetic by a name belonging to another manufacturer
 5) Licensee should not manufacture or sell drugs/cosmetics even if if it is included in the approved list of product, as and when banned by Licensien Authority or Drugs Controller General of India or Government of India.
 6) The permission is granted subject to the condition that, the product is safe, for use in context of pharmaceutic Additions and excipient used in the formulation
 7) Any addition thereto or any deletion therefore will not be carried out without permission of Licensing Authority





V.T Paunikar State Licensing Authority Food & Drugs Administratior NAGPUR DivisionMaharashtra State

Fee Payment(s) DB-Id: 480829 - 31/07/2023 (Amt: 8250) (application for additior COL-Colour, FLV-Flavour, PRV-Prese products permissidajiance 3050

nis License/Certificate is eSIGNED. Physical Signature is NOT Required

Division	MFG ID No	Type:Additional Product Permiss	PERMISSION No	Issue Date
NAGPUR (NG1)	707010	PRP-23814631/07/2023	1110167	07/08/2023
Controller Third Books Assessed	1	file-of-condensation control COLL TRA	MI D 4 / 4 (07/0)	(OO)



CERTIFICATE



FSSAI CERTIFICATE



Form C **Government of India** Food Safety and Standards Authority of India License under FSS Act, 2006



अनुज्ञप्ति संख्या / License Number: 11523999000425

Name & Registered Office address of Licensee / अनुज्ञप्तिधारी के पंजीकृत कार्यालय का नाम और पता:

MSR Chemical Limited A Wing,402,Floral Deck plaza,Prem Co Op Soc Ltd Central MIDC Road, Seepz Vidyanagari Mumbai 400098 , Greater Mumbai,

Address of Authorized Premises / प्राधिकृत परिसरो का पता:

Survey No. 679, Village Bela, Taluka Umred, District Nagpur, Maharashtra

3. Kind of Business / कारोबार का प्रकार:

Nagpur (Rural), Nagpur, Maharashtra-441108

4. Dairy Business Details / डेयरी कारोबार विवरण हेतु : No

Manufacturer - Substances Added to Food

5. Category of License / अनुज्ञप्ति का वर्ग:

Central License

This license is granted under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the licensee. / यह अनुवालि बाह्य संख्वा और मानक अधिनियम, 2006 के अधीन अनुदरत की गई और वह अधिनियम के उपक्षों के अध्यादीन है जिनका अनुवालियारी द्वारा अवस्था पान कि प्रा

Issued On / दिनांक: 01-12-2024 (Modified License) Valid Upto: / वैधता: 18-10-2027 (For details, refer Annexure) Designated Officer

Date: User Id : Verified thi

01-12-2024 19:32:06 107881

90XXXXXX82

01-12-2024 19:32:06

- 1. Product Annexure
- Validity Annexure
 Non-Form C Annexure
- 4. Conditions Of License

- 1. Application for renewal of License can be filed as early as 180 days prior to expiry date of License. You can file application for renewal or modification of License by login into FSSAI's Food Safety Compliance System(https://foscos.fssai.gov.in) with your user id and password or call us at 1800112100 for any clarification.
- 2. This License is only to commence or carry on food businesses and not for any other purpose.
- 3. This is computer generated license and doesn't require any signature or stamp by authority.

Visit us at: www.msbchemical.com

We also manufacture as per customer need.....





MSB CHEMICAL LIMITED

CIN No.: U2429MH2019PLC332219

ISO 9001: 2015 Certified

Regd.Office: A-wing, 401/402, Floral Deck Plaza, Central MIDC Road, Andheri (E), Mumbai-400 093

Tel.: +91-022-46094111

Factory: Survey No. 679, Village-Bela, Taluka-Umred, District-Nagpur-441108

Visit us at : www.msbchemical.com